PACIFIC GAS AN ELECTRIC COMPANY



INDUSTRIAL RELATIONS 741.5

Review Committee File No. 658 North Bay Division Grievance No. D.Gr/C 4-65-19 Distribution of Emergency Overtime

April 15, 1968

MR. D. K. STUART, Chairman North Bay Division Joint Grievance Committee


We recently returned to your Committee several Review Committee cases concerning the distribution of emergency overtime. The above-subject case should be included in your discussions and is returned to your Committee for this purpose.

L V. BROWN

L. V. BROWN, Chairman Review Committee

LVB:RS

cc: JGFoster TJBianucci CRMachen VJThompson AGMollart EAPetterle JJWilder, IBEW



12)(G+med)(d)

245 MARKET STREET • SAN FRANCISCO, CALIFORNIA 94106 • (415) 781-4211

I. WAYLAND BONBRIGHT MANAGER INDUSTRIAL RELATION.

November 6, 1968

Local Union No. 1245 International Brotherhood of Electrical Workers, AFL-CIO **P.** 0. Box 584 Walnut Creek, California 94597

Attention: Mr. J. J. Wilder, Assistant Business Manager

Gentlemen:

Reference is made to our discussion today concerning the North Bay Division guidelines for distribution of overtime. The guidelines which were agreed upon by Mr. Petterle for the North Bay Division and Mr. Quadros, Local 1245, may be misleading to the extent that they indicate an agreement by Company and Union of an interpretation of Sections 208.16 and 212.1 of the Physical Agreement.

My comments should not be construed to detract from the efforts of Mr. Quadros and Mr. Petterle to develop guidelines to an extremely difficult problem in the North Bay Division. It must be noted, however, that the guidelines are not to be construed as an interpretation of the Labor Agreement and are restricted in application to the North Bay Division and then only so long as they are consistent with the provisions of the Physical Labor Agreement.

It is my understanding that you concur with my comments; however, should you have any disagreement with the foregoing, please contact me immediately.

Yours very truly,

Ju Fentright

LVB:RS